

enbio®

Unwrapped
FAST /134°C


7 min

Wrapped
Class B / 134°C

15 min

Wrapped
Class B / 121°C

30 min




Enbio S Autoclave Technical Data

Designed
in Switzerland

Capacity



x8



Load space
28.5×18×3.3 cm

Max. packages amount (circa) **8**
Max. recommended batch weight **0.5 kg**
Process chamber volume **2.7 l**




Power supply

Enbio S works with any typical electrical outlet.



Data archiving

All process data are automatically written to a USB disk.



Water supply

Enbio uses distilled water from external tank.



Process reports

Take full control of your sterilization process with **my.enbio app**.

Dimensions



56 cm



25 cm

15.8 cm

Pressure & temperature

Working pressure **2.1 bar**
Max. pressure **2.45 bar**
Max. process temperature **137°C**

Electrical

Max. power supply **220-240V / 50Hz**
Nominal power **2.25 kW**
Max. power consumption **10 A**

Misc

Ingress protection **IP20**
Data archiving **USB**
Water conductivity* **< 15 µS/cm**

* - demineralized water only

Unwrapped
FAST /134°C

9 min

Wrapped
Class B / 134°C


18 min

Wrapped
Class B / 121°C

30 min

Wrapped
Class B / 134°C

43 min




ENBIO PRO Autoclave Technical Data

Capacity



x16



Upper compartment
(for small tools)
20×18×2 cm



Load space
28.5×19×7 cm

Max. packages amount (circa) **16**
Max. recommended batch weight **0.8 kg**
Process chamber volume **5.3 l**




Power supply

Enbio PRO works with any typical electrical outlet.



Data archiving

All process data are automatically written to a USB disk.



Water supply

Enbio uses distilled water from external tank.



Process reports

Take full control of your sterilization process with **my.enbio app**.

57.5 cm



27 cm



20 cm

Pressure & temperature

Working pressure **2.1 bar**
Max. pressure **2.45 bar**
Max. process temperature **138°C**

Electrical

Max. power supply **220-240V / 50 Hz**
Nominal power **3.25 kW**
Max. power consumption **16 A**

Misc.

Ingress protection **IP20**
Data archiving **USB**
Water conductivity* **< 15 µS/cm**

* - demineralized water only

Enbio Technology sp. z o.o.
Ul. Działkowców 15, Rumia
Poland

enbio.com