

enbio.



Enbio + Enbio PRO
**Meet the Enbio's autoclaves.
The Speedmasters.**

Designed
in Switzerland

Another dimension. High performance.

Enbio sterilizers are up to 6 times smaller, 4 times faster and 3 times lighter than a typical class-B autoclave. But when it comes to work efficiency, they keep up the pace.




6x
smaller

4x
faster

3x
lighter

Class B
TripleVacuum

Time is money.



In a busy clinic environment, with dozens of dental or surgical procedures performed daily, the right timing is essential. Enbio changes your sterilization workflow entirely, with reprocessing of expensive instruments between patients, or emergency sterilization available in just minutes.

Enbio 15 min

Enbio PRO 18 min

Typical autoclave up to 60 min



Enbio. Speedmaster.

Enbio is compact to fit even a cramped space. Unbelievably short process times will save your procedure in emergency, or allow sterilization of the instruments as you go, between patients.



Unwrapped
FAST / 134°C

7 min

Wrapped
Class B / 134°C

15 min

Wrapped
Class B / 121°C

30 min

Medical Certified
Medical device class II b
EN-13060
93/42/EEC Directive



Unit weight

15 kg

Capacity

Max. packages amount (circa) 8
Max. recommended batch weight 0.5 kg
Process chamber volume 2.7 l

Pressure & temperature

Working pressure 2.1 Bar
Max. pressure 2.45 Bar
Max. process temperature 137°C

Dimensions

Width 25 cm
Height 15.8 cm
Depth 56 cm

Electrical

Power supply 220-240V / 50Hz
Nominal power 2.25 kW
Max. power consumption 10 A



Misc

Ingress protection level IP20
Data archiving USB stick
Water conductivity* < 15 µS/cm


* - demineralized water only

Enbio PRO. Small dimensions. Big space.

Enbio PRO is an ideal solution as a basic workhorse in a small practice. Superfast sterilization and room to hold most of the instruments, including popular implant cassettes.



Unwrapped FAST / 134°C	Wrapped Class B / 134°C	Wrapped Class B / 121°C	Wrapped / PRION Class B / 134°C
9 min	18 min	30 min	43 min



Unit weight

20 kg

Capacity

Max. packages amount (circa) 16
Max. recommended batch weight 0.8 kg
Process chamber volume 5.3 l

Pressure & temperature

Working pressure 2.1 Bar
Max. pressure 2.45 Bar
Max. process temperature 138°C

Dimensions

Width 27 cm
Height 20 cm
Depth 57.5 cm

Electrical

Power supply 220-240V / 50Hz
Nominal power 3.25 kW
Max. power consumption 16 A


Misc

Ingress protection IP20
Data archiving USB stick
Water conductivity* < 15 µS/cm

* - demineralized water only


State-of-the-art technology

Enbio's autoclaves are the result of years of extensive research and are a state-of-the-art piece of modern medical technology.



Supereasy.

Plug in. Choose program. Start working.
That's it. No elaborate training.
Just do the job.



1. Plug in
2. Choose program
3. Start working

Installation and operation of Enbio autoclaves
does not require any special training.



A growing network of more than 200 distributors in almost 50 countries works to bring Enbio revolution to your doors. Scan the QR code and find a distributor nearest to you.

Worldwide presence.



Enbio autoclaves are manufactured in the EU and distributed globally through logistics centers covering Europe, North America and the Middle East.

Since 2017, Enbio community has grown to over 60,000 satisfied users who successfully sterilize their tools in our autoclaves.

